4 LORUS

INSTRUCTION MANUAL


CAL. W150 (RCW SERIES)

■ CHARACTERISTICS


1. Time and calendar:

- Hour, minutes, seconds, year, month, date and day of the week.
- Fully automatic calendar: The calendar adjusts automatically for odd and even months including February of leap years from the year 1996 up to 2045.
- Time indication: Changeover between 12- and 24-hour indications is possible.
- Stopwatch: Measures up to 23 hours, 59 minutes and 59 seconds in 1/100 second increments for the first hour and in 1-second increments thereafter.
- 75 lap/split memory: Up to 75 sets of lap times and split times can be stored in memory.
- 4. Countdown timer: Up to 23 hours, 59 minutes and 59 seconds can be set in second increments.
 - After the set time is up, the timer counts up the time up to 23 hours, 59 minutes and 59 seconds.
 - The set time can be used repeatedly unless canceled.
- Daily alarm: The alarm can be set to ring on a 24-hour basis.
 - Hourly time signal: Can be set to ring every hour on the hour with a single beep.
- Illuminating light: The light evenly illuminates the display for easy viewing in the dark.


■ BUTTONS AND DISPLAYS



With each press of button "A", the selection of the mode can be made in the following order:



■ TIME/CALENDAR MODE



- Press button "A" to show the TIME/CALENDAR mode.
- 2. Press button "B" for 2 to 3 seconds to show the time/calendar setting display. The second digits start flashing.
- 3. Selection of the digits to be adjusted (flashing) is made in the following order by pressing button "C".

Seconds Minutes Hour

Date Month Yea

4. Press button "D" to set the flashing digits.
One digit is advanced with each press of the button. Digits except seconds move quickly by keeping button "D" pressed.

Seconds setting

Press button "D" in accordance with a time signal. The seconds are reset to "00" and start immediately.

When the seconds count any number from "30" to "59" and button "D" is pressed, one minute is added and the seconds are reset to "00".

12-/24-hour indication setting Changeover between 12- and 24-hour indication

Change over between 12- and 24- hour indications is made alternately with each press of button "A".

After all the adjustments are completed, press button "B" to return to the TIME/ CALENDAR mode.

Notes:

- 1. When setting the hour digits in the 12-hour indication, check that AM/PM is set properly. Only "PM" mark is displayed. For the AM setting, there is no indication. In the 24-hour indication, "24" is displayed.
- Once the year, month and date have been set, the day of the week is set automatically.
 If the watch is left untouched in the time/
- calendar setting display with the digits flashing, it will automatically return to the TIME/CALENDAR mode in 1 to 2 minutes.

■ STOPWATCH MODE

- The stopwatch can measure up to 23 hours, 59 minutes and 59 seconds.
- It measures in 1/100 second increments for the first hour and in 1-second increments thereafter.

Stopwatch operation

Press button "A" to show the STOPWATCH mode. "Chrono" is displayed first, and then the STOPWATCH mode appears.



Standard measurement

D □ D □ C
Start Stop Reset

Accumulated elapsed time measurement




Start Stop Restart Stop Reset

** Restart and stop of the stopwatch can be repeated by pressing button "D".

Lap time/split time measurement

· A "Start-Finish-End" stopwatch operation system is used. The data obtained from the start till finish of a race is recorded as a block and stored in memory.



- * Lap time measured remains displayed for 5 seconds in the upper row. In the lower row, the lap number is displayed, followed by split time measured. Then, the measurement
- * The time elapsed from the finish of the race until the end of the measurement will not be included in the measurement.
- Lap time/split time can be measured repeatedly by pressing button "C".

Notes:

- 1. Up to 75 measurements can be stored in memory. If more than 75 measurements
- memory. If more than 75 measurements are made, the measurements over 75 will not be stored in memory.

 2. When the memory has become full and a lap time/split time measurement is made, "FULL" appears below the measured lap time, indicating that the measurement data is not stored in memory. To check the memory capacity, change the mode to the MEMORY RECALL mode, which displays the number of storable data.


 3. If the lan time measurement exceeds 60
- 3. If the lap time measurement exceeds 60 minutes, any fraction less than a second will be discarded when it is displayed. The split time recalled in the MEMORY RECALL mode, which is the accumulation of the actual lap time measurements, therefore, may not be exactly equal to the one displayed when it was measured.

■ MEMORY RECALL MODE

- · Up to 75 sets of lap times and split times can be stored in memory.
- Measurement data obtained from the start to finish of a race is recorded as a block, to which a block number is assigned.
- · Up to 38 blocks of data can be stored in memory, and stored data can be recalled block by block after the measurement.

Memory recall operation

Press button "A" to show the MEMORY RECALL mode. "RECAL" is displayed first, and then the MEMORY RECALL mode appears.



- 1. Press button "C" to show the block selection display. "RUN" and the block number are display. displayed.
- 2. Press button "C" repeatedly to select the desired block of data.
 - * With each press of the button, the block number advances by one, starting from Block 1.
- Press button "D" to recall the stored data in the block. The lap/split number is displayed first, and then the lap time and split time are displayed in the upper and lower rows, respectively.

* With each press of the button, the stored data is recalled successively from the oldest to the newest.

How to clear the stored data

· To erase the data block by block:

In the block selection display, press button "C" to select the block of data to be erased, and then press and hold button "B" until "DEL" appears. The data only in the selected block is erased from memory.

• To erase the data in all the blocks at a stretch:

In the block selection display with any block number shown, press and hold button "B" until "FREE" appears. The data in all the blocks is erased from memory.

Notes:

1. When a block of data is erased, the block number is reassigned accordingly

2. When the stored data in all the blocks is erased, the mode is automatically changed to the STOPWATCH.

3. The stored data cannot be erased one by one.

■ TIMER MODE

- · Up to 23 hours, 59 minutes and 59 seconds can be set in second increments.
- · After the set time is up, the timer counts up the time up to 23 hours, 59 minutes and 59 seconds as many times as necessary unless stopped and reset.
- · The set time can be used repeatedly unless

Press button "A" to show the TIMER mode. "TIMER" is displayed first, and then the TIMER mode appears.



Timer setting

- 1. Press button "B" for 2 to 3 seconds to show the timer setting display. The second digits start flashing.
- 2. Press button "C" to select the digits to be adjusted (flashing).

Seconds Minutes Hour

- 3. Press button "D" to set the flashing digits. One digit is advanced with each press of the button. Digits move quickly by keeping button "D" pressed.
- 4. After all the adjustments are completed, press button "B" to return to the TIMER mode.
 - * If the watch is left untouched in the timer setting display with the digits flashing it will automatically return to the TIMER mode in 1 to 2 minutes.

Timer operation

Press the buttons in the following order.



Stop

 (\mathbf{c})

Reset

* When the set time is up, a warning sound beeps for 10 seconds. To stop it manually, press any of the buttons.

Notes:

- 1. After the set time is up, the timer counts up the time up to 23 hours, 59 minutes and 59 seconds as many times as necessary unless it is stopped and reset.
- 2. Once the timer is set, the set time is retained and can be used repeatedly unless it is readjusted.

■ ALARM MODE

The alarm can be set to ring on a 24-hour basis



- Press button "A" to show the ALARM mode. "ALARM" is displayed first, and then the ALARM mode appears.
- 2. Press button "B" for 2 to 3 seconds to show the alarm setting display. The minute digits start flashing.
- Press button "C" to select the digits to be adjusted (flashing).

Minutes	Hour

- Press button "D" to set the flashing digits. One digit is advanced with each press of the button. Digits move quickly by keeping button "D" pressed.
- After all the adjustments are completed, press button "B" to return to the ALARM mode.

Notes

- 1. When the time function is displayed in the 24-hour indication, the alarm is also displayed in the 24-hour indication.
- 2. When setting the hour digits in the 12-hour indication, check that AM/PM is properly set. In the 24-hour indication, "24" is displayed.
- If the watch is left untouched in the alarm setting display with the digits flashing, it will automatically return to the ALARM mode in 1 to 2 minutes.

Engagement/disengagement of the alarm

 With each press of button "D" in the ALARM mode, the alarm is engaged and disengaged alternately.

((1-1))	Alarm engaged
	Alarm disengaged

 At the designated time, the alarm rings for 20 seconds and stop. To stop it manually, press any of the buttons.

Turning on/off of the hourly time signal and button operation confirmation sound

 With each press of button "D" in the TIME/ CALENDAR mode, the hourly time signal and confirmation sound for button operation are turned on and off alternately.

Hourly time signal and confirmation sound turned on
Hourly time signal and confirmation sound turned off

■ NOTE ON UNUSUAL DISPLAY

While in the time/calendar setting display with the digits flashing, the display as shown below will appear if both buttons "C" and "D" are pressed at the same time. This is not a malfunction. Press button "A", "B", "C" or "D" to return to the TIME/CALENDAR mode, and then set the time/calendar again.



■ ILLUMINATING LIGHT



Press the light button in any mode. The electroluminescent light evenly illuminates the display for 3 seconds for easy viewing in the dark.

Notes:

- The watch works with one battery. When the light begins to lose its luminance, this is an indication that the battery is depleted. We recommend that you change the battery before the watch itself stops.
- If the light is used continuously for a long time, the battery life may be less than the specified period.

■ ViViDiGi

ViViDiGi is a new type of liquid crystal panel that makes possible various colors and high contrast.

- Excellent light reflection and transmission make the display bright and clear.
- Various color options are available.
- Either the whole panel or the displayed data only can be illuminated.
- * Features vary in different models.

ViViDiGi

■ BATTERY CHANGE

The miniature battery PANASONIC CR2025, which powers your watch should last approximately 3 years. However, because it is inserted at the factory, the actual life of the battery once in your possession may be less than 3 years. Be sure to replace the battery to prevent any possible malfunction as soon as it runs down. To replace the battery, we recommend taking the watch to a local watch repair shop.

Note

If the illuminating light is used for more than 3 seconds a day, the alarm more than 20 seconds a day and/or the timer warning sound more than 10 seconds a day, the battery life may be less than the specified period.

■ CARE OF YOUR LORUS WATCH

BATTERY



CAUTION

Do not expose the old battery to fire or recharge it. Keep it at a place beyond the reach of children. If a child swallows it, consult a doctor immediately.

WATER RESISTANT

Condition of use Indication on the dial/	Accidental contact with water, such as splashes and rain	Swimm- ing and taking a shower	Skin diving	Scuba diving
case back No indication	NO	NO	NO	NO
WATER RESISTANT	YES	NO	NO	NO
WATER RESISTANT (50 M/5 BAR)*	YES	YES	NO	NO
WATER RESISTANT (100 M/ 10 BAR or above	YES	YES	YES	NO

- * If your watch is 200 M/20 BAR, 100 M/10 BAR or 50 M/5 BAR water resistant, it is so indicated on the dial/case back.
- Do not operate the buttons when the watch is wet.
- If the watch is exposed to salt water, rinse it in fresh water and then wipe it thoroughly dry.

Caution:

Leather straps are not water resistant except so indicated, even if the watch head is water resistant.

ALLERGIC REACTION

Because the case and band touch the skin directly, it is important to clean them regularly. If not, shirt sleeves may be stained and those with delicate skin may develop a rash. Please wear the watch with some play to avoid any possible allergic reaction. If you develop a rash on your wrist, stop wearing and consult a physician.

MAGNETISM

Your watch will not be affected by magnetism generated by household electric appliances.

SHOCKS AND VIBRATIONS

Your watch may be worn for normal sports activities, but be careful not to drop it or hit it on hard surfaces.

• TEMPERATURE

Your watch is preadjusted so that constant accuracy may be insured at normal temperature.

■ SERVICE

When your LORUS watch requires repair or servicing, please see the enclosed WARRANTY/GUARANTEE.

Printed in Hong Kong